

**JMDTOOLS**<sup>®</sup>  
 —金美达工具—  
 NANJING JINMEIDA TOOLS CO.,LTD.




JIG SAW BLADES

**JMDTOOLS**<sup>®</sup>  
 —金美达工具—  
 NANJING JINMEIDA TOOLS CO.,LTD.

地 址：南京市江宁滨江开发区天成路42号  
 电 话：86-25-84950239 / 84950276 / 52428376  
 传 真：86-25-52404499  
 联系人：嵇媛媛/吕凤/杨向京  
 邮 箱：jyy@njimd.com lf@njimd.com  
 网 址：http://www.njimd.com  
 邮 编：211162

Add: No.42 Tian Cheng Road, Binjiang Economic  
 Development Zone Jiangning District, Nanjing  
 Tel: 86-25-84950239 / 84950276 / 52428376  
 Fax: 86-25-52404499  
 Contact: Yolanda Ji, Lv Feng, Yang Xiangjing  
 E-mail: jyy@njimd.com lf@njimd.com  
 Web: http://www.njimd.com  
 P C: 211162





As the Chinese largest jig saw blades manufacture, JMD TOOLS understands the demands of cutting materials quickly, smoothly and precisely. Blade configuration include **progressive teeth design** for superior performance in speed and cleanliness of cut, **plunge blade tip shapes** for easy plunge cutting in wood. **Longer blades** for deep Sandwich material cuts and flexible blades that provide strength in curve and angle cutting.

### Teeth Per Inch(TPI)

Every material has a different thickness. To achieve the best possible cutting quality and fastest cutting time, it is important to match material thickness with the proper blade TPI. Always keep 2-3 teeth in material while cutting.

### Materials of Blades

- HCS** High alloy chrome vanadium CV steel for cutting softer materials such as wood, laminated particleboard and plastic.
- HSS** High alloy high-speed steel, hardened by vacuum heat-treatment, for cutting metal, aluminum and non-ferrous metal.
- Bi-Metal** This highly flexible, tough combination of HSS and HCS results in a blade suitable for the most demanding applications when there is a risk of breakage or when extreme flexibility and Versatility are required.
- TC** Tungsten Carbide Saw blades for cutting abrasive materials such as tile, glass, cast iron and brick.

## Brief 企业简介 Introduction


南京金美达工具有限公司是由南京金拓工具制造有限公司发展衍变而来, 开始于1997年。我司是国内率先开发生产系列曲线锯条、往复锯条、双金属手动锯条、高速钢手动锯条的专业工厂, 也是多功能震动锯片生产的先行者。我司在行业内率先获得SGS国际ISO9001:2000质量体系认证, 从2011年开始已经取得一系列的专利, 对各类锯片的开发和提升, 已经让我们乐在其中, 用我们的匠心为世界服务。




Nanjing JinMeiDa Tool Co.,LTD, which is evolution from Nanjing JinTuo Co.,LTD, founded in 1997, is the leading professional manufacture in developing and producing jigsaw blades, reciprocating saw blades, Bi-metal hacksaw blades, and HSS hacksaw blades, and we are also the production forerunner in multi-function oscillating blades.

Our company is the first enterprises in the blades industry to receive SGS International Certification and ISO9001:2000 quality system certification , and we have gotten a series of patent certifications ever since from the year 2011.


We enjoy in developing and promoting all types of blades, we are pleased to use our ingenuity to serve the world.




**Milled and side set teeth**  
 Blade with relatively rough cut and quick work progress cutting into hard and soft wood, Aluminum, plastics and non-ferrous metals (e.g. T127D,T345XF).



**Milled and wavy set teeth**  
 Blade for fine, straight cutting results into plywood, soft steel, Au Aluminum, plastics and non-ferrous metals (e.g. T118G,T118A).



**Ground and side set teeth**  
 Blade for clean, quick cuts in wood and plastic (e.g. T144D, T244D).



**Ground and taper ground teeth**  
 Blade with taper ground backing for precise, fine and clean cuts into wood and plastic (e.g. T101B,T101DP,T234X).

## JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.

### Basic For Wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
 T119B milled & side set	75	12	HCS
softwood (2-15mm), Plywood chipboards, wood core plywood, fibre boards.			
 T119BO-1 milled & side set	75	12	HCS
For curved cuts, soft wood, OSB, plywood 5/64" - 1/4"			
 T111C milled & side set	100	8	HCS
Fast, coarse cuts, ideal for jig saws without orbital action, Soft wood, OSB, plywood 7/32" - 2-3/8"			

### Speed For Wood Fast Cutting

 T144D ground & side set	100	6	HCS
Straight & very fast cuts; plunge cuts Hard/soft woods, OSB, plywood 1/4" - 2-3/8"			
 T144D-1 ground & side set	100	5-6 Pro.	HCS
Curbed & fast cuts; plunge cuts Hard/soft woods, OSB, plywood 1/4" - 2-3/8"			
 T244D ground & side set	100	6	HCS
 T244D-1 ground & side set	100	5-6 Pro.	HCS
Curbed & fast cuts; plunge cuts Hard/soft woods, OSB, plywood 1/4" - 2-3/8"			
 T344D ground & side set	152	6	HCS
Straight & very fast cuts Hard/soft woods, OSB, plywood 1/4" - 4"			
 T744D ground & side set	178	6	HCS
Straight & very fast cuts Hard/soft woods up to 5-5/16" thick			

### Speed For Hard Wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
 T144DF ground & side set	100	6	Bi-Metal
 T144DF-1 ground & side set	100	5-6 Pro.	Bi-Metal
Straight & very fast cuts; plunge cuts, long life Hard/soft woods, OSB, plywood, wood with nails 1/4" - 2-3/8"			
 T344DF ground & side set	152	6	Bi-Metal
Straight & very fast cuts; plunge cuts, long life Hard/soft woods, OSB, plywood, wood with nails 1/4" - 4"			

### Clean For Hard Wood

 T101AO-1 ground & taper ground	75	18	HCS
Curved cutting -pointed teeth for splinter free cuts on both sides of the workpiece Double-side laminates, laminated particleboard, MDF, hard/soft woods, plywood 5/64"-3/4"			
 T101B ground & taper ground	100	10	HCS
Straight, fine cuts; plunge cuts Hard/soft woods, plastic, OSB, plywood, laminated particleboard 3/16"-1-1/4"			
 T101BR ground & taper ground	100	10	HCS
Reverse tooth for splinter-free cuts on top of workpiece; straight, fine down cuts Laminated particleboard, OSB, plywood, hard/soft woods, plastic 3/16"-1-1/4"			
 T101D ground & taper ground	100	6	HCS
 T101D-1 ground & taper ground	100	5-6 Pro.	HCS
Straight, clean cuts; plunge cuts Hard/soft woods, plywood, OSB and plastic 1/4" - 2-3/8"			
 T301CD ground & taper ground	117	8	HCS
Straight, medium-fine cuts Hard/soft woods, plywood, laminated particleboard 3/16"-2-3/8" and plastic 3/16"-1-1/4"			

## JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.

### Speed For Hard Wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material	
 ground & taper ground	T301DL	127	6	HCS
Straight, clean cuts Hard/soft woods, OSB, plywood 1/4" - 3-3/8"				

### Clean For Hard Wood

 ground & taper ground	T101AIF	100	14	Bi-Metal
splinter free cuts Hardwood, laminates, laminated boards/HPL(2-30mm), plastic/epoxy(dia.<30mm)				
 ground & taper ground	T101BF	100	10	Bi-Metal
Long life; straight, fine cuts; plunge cuts Hard/soft woods, plastic, plywood, laminated particleboard 3/16"-1-1/4"				
 ground & taper ground	T101BRF	100	10	Bi-Metal
clean splinter free surface Laminates, laminated boards (3-30mm), kitchen work tops (3-45mm)				
 ground & taper ground	T301CDF	117	8	Bi-Metal
Hardwood and softwood(4-65mm), laminated boards/HPL				

### Progressive For Wood

 ground & taper ground	T234X	108	8-12 Pro.	HCS
Straight, fine, splinter free, accurate cuts in thick and thin material Hard/soft woods, OSB, particleboard, plywood, laminated particleboard				

### Precision for wood

 ground & taper ground	T101DP	100	6	HCS
Angled cuts; parallel cuts Hard/soft woods, plywood, particleboard, plastic 1/4" - 2-3/8"				
 ground & side set	T144DP	100	6	HCS
Precise right angle cuts through material, plunge cuts Hard/soft woods, laminated particleboard, plywood 3/16"-2"				

### Precision for wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material	
 ground & side set	T344DP	152	6	HCS
Precise right angle cuts through material Hard/soft woods, laminated particleboard, plywood 3/16"-4"				
 ground & taper ground	T301BCP	115	8	HCS
Clean cuts Hard/soft woods, chipboards, wood core plywood, fibre boards (3-65mm), doors, kitchen work tops)<50mm)				

### Special for laminate precise, clean cuts

 ground & taper ground	T101AOF	82	18	Bi-Metal
Curved cuts Splinter-free cuts in laminate flooring, Work without orbital action				
 ground & taper ground	T101BIF	82	14	Bi-Metal
Straight cuts Splinter-free cuts in laminate flooring				

## Application for Metal

### Progressive for metal fast cuts & long life in thick or thin metal

 milled & wavy set	T123X	100	10-21	HSS
Fast cuts & long life in thick or thin metal, pipes and metal profiles Sheet metal up to 8 gauge, metal 5/64"-3/8", stainless steel 1/16"-1/8", non-ferrous metal 5/64"-3/4", plastics 1/16"-1-1/4", fiberglass 3/64"-3/4"				

### Basic for metal

 milled & wavy set	T118G	75	32	HSS
Straight cuts Sheet metal 17-26 gauge, very thin metals 1/64" - 3/64" (ferrous and non-ferrous) For material thickness under 3/64" use a thin piece of wood as backing				
 milled & wavy set	T118A	75	21	HSS
 milled & wavy set	T118A-1	92	17-24	HSS
Straight cuts Sheet metal 10-16 gauge, thin metals 1/16" - 1/8"(ferrous and non-ferrous)				

## JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.


### Basic for metal

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
------------	------------------------------	----------------------	----------------




T218A	75	21	HSS
T218A-1	92	17-24	HSS

Curved cuts  
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous)




T318A	132	24	HSS
-------	-----	----	-----

Straight cuts in pipes, profiles & sheet metal Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous), pipes <2-1/2" diameter, tube stock, angle iron



T118B	75	12	HSS
T118B-1	92	11-14	HSS

Straight cuts Medium-thin metals 1/8"-1/4"(ferrous and non-ferrous)



T318B	132	12	HSS
-------	-----	----	-----

Straight cuts in pipes, profiles & sheet metal Medium-thin metals 5/64"-3/8"



T118E	75	14	HSS
T118E-1	92	14-18	HSS


Straight cuts Medium-thin metals 5/64"-7/32"(ferrous and non-ferrous)

### Flexible for metal Break resistant and durable



T118AF	75	21	Bi-Metal
T118AF-1	92	14-18	Bi-Metal

Straight cuts & long life  
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous)



T318AF	132	24	Bi-Metal
--------	-----	----	----------

Straight cuts in pipes, profiles & sheet metal  
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous), pipes <2-1/2" diameter, tube stock, angle iron

### Flexible for metal Break resistant and durable

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
------------	------------------------------	----------------------	----------------




T118EF	75	14	Bi-Metal
T118EF-1	92	14-18	Bi-Metal

Straight cuts & long life Medium-thin metals 5/64" - 7/32" (ferrous and non-ferrous)




T118BF	75	12	Bi-Metal
T118BF-1	92	11-14	Bi-Metal

Straight cuts Medium-thin metals 1/8"-1/4"(ferrous and non-ferrous)



T318BF	132	14	Bi-Metal
--------	-----	----	----------

Straight cuts in pipes, profiles & sheet metal Medium-thin metals 5/64"-3/8"



T718BF	178	14	Bi-Metal
--------	-----	----	----------

Straight cuts & long life Clean cuts in sandwich materials, structural insulated panels, metal, non-ferrous metal, aluminum and sheet metal, up to 4-3/4"

### Special for Aluminum and non-ferrous metals



T127D	100	8	HSS
-------	-----	---	-----

Fast, straight cuts Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"



T227D	100	8	HSS
-------	-----	---	-----

Fast, curved cuts Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"



T127DF	100	8	Bi-Metal
--------	-----	---	----------

Fast, straight cuts & long life  
Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"

### JIGSAW BLADES T-SHANK

For AEG, Atlas Copco, Bosch, DeWalt, ELU, Festo, Hitachi, Holz-Her, Kress, Makita, Metabo and Bosch multisaw.


#### Accurate for wood with metal

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
 T345XF milled & side set	132	5-10 Pro.	Bi-Metal
Progressive tooth design for fast cuts & longer life in thick & thin materials Wood with nails, plywood, particleboard 3/16" - 3-5/8", metal 3/16" - 3/8", non-ferrous metal and aluminum 5/64" - 1-1/4"			
 T111CF milled & side set	100	8	Bi-Metal
Straight cuts Wood with nails, OSB, plastic 3/16" - 1-1/4"			
 T211HF milled & side set	75	10	Bi-Metal
Curve cuts Wood with nails, plastic 1/8" - 1-1/4", non-ferrous metal and aluminum 1/8" - 1/2"			

#### Special for plexiglas

 T101A ground & taper ground	100	14	HSS
Fine & straight cuts Plexiglas 5/64" - 3/4"			

#### Special for soft-Material

 T113A ground	100	Knife edge	HCS
Fast, coarse cuts Cardboard, leather, carpet, polystyrene, other soft materials			
 T313AW serrated edge	152	Knife edge	HCS
Fast, coarse cuts Cardboard, leather, carpet, polystyrene, other soft materials			

#### Special for Ceramic Fiberglass and Glass

 T130RF1 coated	75	30 grit	TC
File effect for fine, straight or curved cuts Ceramics, glass, fiberglass 3/64" - 5/8"			
 T150RF1 coated	75	50 grit	TC
File effect for fine, straight or curved cuts Ceramics, glass, fiberglass 3/64" - 3/8"			

### JIGSAW BLADES 1/4"-Universal shank

Suitable for Black & Decker, Skill and others



#### Clean for wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
 U19BO milled & side set	70	12	HCS
For curved cuts Soft woods, OSB, plywood 5/64" - 3/4"			
 U111C milled & side set	92	8	HCS
Fast, coarse cuts, ideal for jigsaws without orbital action Soft woods, OSB, plywood 3/16" - 2"			
 U111D milled & side set	92	6	HCS
Soft wood (4-50mm), chipboards, wood core plywood, fibre boards			

#### Speed for wood fast cutting

 U144D ground & side set	92	6	HCS
Straight & very fast cuts; plunge cuts Hard/soft woods, OSB, plywood 1/4" - 2-3/8"			
 U244D ground & side set	92	6	HCS
Fast, curved cuts Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"			
 U344D ground & side set	146	6	HCS
Straight & very fast cuts Hard/soft woods, OSB, plywood 1/4" - 4"			

#### Speed for hard wood

 U144DF ground & side set	100	6	Bi-Metal
Straight & very fast cuts Hard / soft woods, OSB, plywood, wood with nails 1/4" - 2-3/8"			
 U344DF ground & side set	146	6	Bi-Metal
Straight & very fast cuts Hard/soft woods, OSB, plywood 1/4" - 4"			

## JIGSAW BLADES 1/4"-Universal shank

Suitable for Black & Decker, Skill and others

### Clean for wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
 U101A0 ground & taper ground	70	18	HCS
Curved cutting –pointed teeth for splinter free cuts on both sides of the workpiece Double-side laminates, laminated particleboard, MDF, hard/soft woods, plywood 5/64"-3/4"			
 U101B ground & taper ground	100	10	HCS
Straight, fine cuts; plunge cuts Hard/soft woods, plastic, OSB, plywood, laminated particleboard 3/16"-1-1/4"			
 U101BR ground & taper ground	100	10	HCS
Reverse tooth for splinter-free cuts on top of workpiece; straight, fine down cuts Laminated particleboard, OSB, plywood, hard/soft woods, plastic 3/16"-1-1/4"			
 U101D ground & taper ground	100	6	HCS
Straight, clean cuts; plunge cuts Hard/soft woods, plywood, OSB and plastic 1/4" - 2-3/8"			
 U301CD ground & taper ground	115	8	HCS
Straight, medium-fine cuts Hard/soft woods, plywood, laminated particleboard 3/16"-2-3/8" and plastic 3/16"-1-1/4"			

### Clean for hard wood

 U101DF ground & taper ground	100	6	Bi-Metal
Straight, clean cuts, long life Hard / soft woods, plywood, OSB, wood with nails, plastic 1/4" - 2-3/8"			
 U111DF milled & side set	100	6	Bi-Metal
Straight cuts, long life Wood with nails, OSB, plastic 1/4" - 2-3/8"			
 U101BF ground & taper ground	100	10	Bi-Metal
Straight, fine cuts, long life Hard / soft woods, plastics, plywood, laminated particleboard 3/16" - 1-1/4"			

### Progressive for wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
 U234x ground & taper ground	108	8-12 Pro.	HCS
Straight, fine, splinter free, accurate cuts in thick or thin material Hard / soft woods, laminated particleboard, OSB, plywood, particleboard			

### Special for laminate precise, clean cuts

 U101AOF ground & taper ground	70	18	Bi-Metal
Curved cuts Splinter-free cuts in laminate flooring Work without orbital action			
 U101BIF ground & taper ground	70	14	Bi-Metal
Straight cuts Splinter-free cuts in laminate flooring			

### Progressive for metal Fast cuts through thick and thin metals

 U123X milled & wavy set	92	10-21	HSS
Fast cuts & long life in thick or thin metal, pipes and metal profiles Sheet metal up to 8 gauge, metal 5/64"-3/8", stainless steel 1/16"-1/8", non-ferrous metal 5/64"-3/4", plastics 1/16"-1-1/4", fiberglass 3/64"-3/4"			

### Basic for metal

 U118G milled & wavy set	70	32	HSS
Straight cuts Sheet metal 17-26 gauge, very thin metals 1/64" - 3/64" (ferrous and non-ferrous)			
 U118A milled & wavy set	70	21	HSS
 U118A-1 milled & wavy set	79	17-24 Pro.	HSS
Straight cuts Sheet metal 10-16 gauge, thin metals 1/16" - 1/8"(ferrous and non-ferrous)			
 U118B milled & wavy set	70	12	HSS
 U118B-1 milled & wavy set	79	11-14 Pro.	HSS
Straight cuts Medium-thin metals 1/8"-1/4"(ferrous and non-ferrous)			

Basic for metal

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
------------	------------------------------	----------------------	----------------



milled & wavy set

U118E	70	14	HSS
U118E-1	79	14-18 Pro.	HSS

Straight cuts  
Medium-thin metals 5/64"-7/32"(ferrous and non-ferrous)

Flexible for metal Break resistant and durable



milled & wavy set

U118GF	70	32	Bi-Metal
--------	----	----	----------

Straight cuts & long life  
Sheet metal 17-26 gauge, very thin metals 1/64" - 3/64" (ferrous and non-ferrous)  
For material thickness under 3/64" use a thin piece of wood backing



milled & wavy set

U118AF	70	21	Bi-Metal
U118AF-1	79	17-24 Pro.	Bi-Metal

Straight cuts & long life  
Sheet metal 10-16 gauge, thin metals 1/16" - 1/8" (ferrous and non-ferrous)



milled & wavy set

U118BF	70	12	Bi-Metal
U118BF-1	79	11-14 Pro.	Bi-Metal

Straight cuts & long life Medium-thin metals 1/8" - 1/4" (ferrous and non-ferrous)



milled & wavy set

U118EF	70	14	Bi-Metal
U118EF-1	79	14-18 Pro.	Bi-Metal

Straight cuts & long life Medium-thin metals 5/64" - 7/32" (ferrous and non-ferrous)

Special for Aluminum



milled & side set

U127D	92	8	HSS
-------	----	---	-----

Fast, straight cuts  
Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"



milled & side set

U127DF	92	8	Bi-Metal
--------	----	---	----------

Fast, straight cuts & long life  
Aluminum 3/16" - 5/8", fiberglass 3/16" - 3/4", plastic 3/16" - 1-1/4"

Progressive for wood with metal

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
------------	------------------------------	----------------------	----------------



milled & side set

U345XF	127	5-10 Pro.	Bi-Metal
--------	-----	-----------	----------

Progressive tooth design for fast cuts & longer life in thick & thin materials  
Wood with nails, plywood, particle board 3/16" - 3-5/8", metal 3/16" - 3/8", non-ferrous metal and aluminum 5/64" - 1-1/4"

Accurate for wood & nails



milled & side set

U111CF	100	10	Bi-Metal
--------	-----	----	----------

Straight cuts Wood with nails, plastic 1/8" - 1-1/4", non-ferrous metal and aluminum 1/8" - 1/2", metal 1/8" - 1/4"

Accurate for wood & nails



ground & side set

U211HF	92	10	Bi-Metal
--------	----	----	----------

Fast curve cuts  
Wood with nails, plastic 1/8" - 1-1/4", non-ferrous metal and aluminum 1/8" - 1/2"



ground

U113A	92	knife edge	HCS
-------	----	------------	-----

Fast, coarse cuts Cardboard, leather, carpet, polystyrene, other soft materials

Special for soft-Material



serrated edge

U313AW	146	knife edge	HCS
--------	-----	------------	-----

Fast, coarse cuts Cardboard, leather, carpet, polystyrene, other soft materials

Special for Ceramic Fiberglass and Glass



coated

U130RF1	70	30 grit	TC
---------	----	---------	----

File effect for fine, straight or curved cuts Ceramics, glass, fiberglass 3/64" - 5/8"



coated

U150RF1	70	50 grit	TC
---------	----	---------	----

File effect for fine, straight or curved cuts Ceramics, glass, fiberglass 3/64" - 3/8"

Basic for wood

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
------------	------------------------------	----------------------	----------------

**Makita shank Especially produced for Makita**



milled & side set



milled & side set



milled & side set

MA119HO	80	10	HCS
Softwood (3-15mm), Plywood, chipboards, wood core plywood, fibre boards * Especially for curved cuts			
MA111C	80	8	HCS
Softwood (4-50mm), chipboards, wood core plywood, fibre boards			
MA111D	80	6	HCS
Softwood (5-65mm), chipboards, wood core plywood, fibre boards			

Speed for wood Fast cutting



ground & side set

MA144CD	100	8	HCS
Softwood (4-50mm), chipboards, wood core plywood, fibre boards			

Clean for wood



ground & taper ground

MA101BC	80	9	HCS
Softwood, chipboards, wood core plywood, fibre boards, plastic/epoxy (3-30mm)			

Progressive for wood



ground & taper ground

MA234X	110	8-12 Pro.	HCS
Softwood (2-65mm), chipboards, wood core plywood, fibre boards			

Progressive for wood with metal



milled & side set

MA345XF	120	5-10 Pro.	Bi-Metal
Construction timber with nails (<65mm), wooden material, plastics, sheet metal, pipes/profiles, incl.aluminium (dia.3-10mm)			

Basic for metal

型号 Item	锯条总长 Total Length (mm)	齿数 Teeth Per Inch	材料 Material
------------	------------------------------	----------------------	----------------



milled & wavy set



milled & wavy set



milled & side set

MA118A	80	24	HSS
Thin sheet metal (1-3mm)			
MA118B	80	14	HSS
Medium-thick sheet metal (2.5-6mm)			
MA118H	80	10	HSS
Thick sheet metal(3-8mm)			

Flexible for metal



milled & wavy set



milled & wavy set



milled & wavy set

MA118AF	80	24	Bi-Metal
Thin sheet metal (1-3mm)			
MA118BF	80	14	Bi-Metal
Medium-thick sheet metal (2.5-6mm)			
MA118BOF	80	14	Bi-Metal
Thick sheet metal (3-8mm) Especially for curved cuts			

Progressive for metal



milled & wavy set

MA123X	95	10-21	HSS
Thin to thick metal plate (1.5-10mm), pipes + profiles, incl.aluminium (dia.<30mm)			

Special for Aluminum



milled & side set

MA127D	80	8	HSS
Thin to thick metal plate (3-15mm), pipes + profiles, (dia.<30mm)			

## JIG SAW BLADES SETS



2pc single blister    3pc Sandwich Packing    3pc single blister    5pc Card Packing    5pc Sandwich packing    5pc single blister



5pc double bliste    5pc pvc bag    5pc cardboard    5pc plastic case    5pc plastic case    5pc plastic case



6pc single blister    10pc plsatic tube    6pc in plastic case    11pc Plastic case

## 10PC SET



Plastic    Plastic    Plastic    Plastic    PVC case +card    cardboard

## 25PC SET



Single Blister    PVC Case

## 30PC SET



PVC Case    PVC Case+Card    Double Blister